

## The Columbian Exchange: Maize's Global Journey and Ecological Impact

Jiansheng Li ✉

Sanya Institute of China Agricultural University, Sanya, 572025, Hainan, China

✉ Corresponding email: [ljjiansheng@cau.edu.cn](mailto:ljjiansheng@cau.edu.cn)

Maize Genomics and Genetics, 2024, Vol.15, No.3 doi: [10.5376/mgg.2024.15.0011](https://doi.org/10.5376/mgg.2024.15.0011)

Received: 18 Mar., 2024

Accepted: 22 Apr., 2024

Published: 05 May, 2024

**Copyright** © 2024 Li, This is an open access article published under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

### Preferred citation for this article:

Li J.S., 2024, The Columbian exchange: maize's Global journey and ecological impact, Maize Genomics and Genetics, 15(3): 102-110 (doi: [10.5376/mgg.2024.15.0011](https://doi.org/10.5376/mgg.2024.15.0011))

**Abstract** This study examines the global journey of maize (*Zea mays*) and its profound ecological impact through the lens of the Columbian Exchange. Maize, originally domesticated in Mesoamerica, was introduced to Europe, Africa, and Asia, where it adapted to various climatic and ecological conditions. The introduction of maize marked a significant event in agricultural history, leading to a profound impact on local ecosystems and cultures. The ecological impact of maize introduction includes changes in soil fertility, agricultural land use, and biodiversity. Meanwhile, the introduction of maize influenced demographic shifts and socio-economic dynamics, underscoring its importance as a global crop. This study highlights maize's journey through the Columbian Exchange and its ecological and cultural significance, offering a comprehensive understanding of how a single crop can influence global history and ecosystems.

**Keywords** Maize (*Zea mays*); Columbian exchange; Introduction; Global journey; Ecological impact

## 1 Introduction

The Columbian Exchange, initiated by Christopher Columbus's voyages to the New World, represents a pivotal moment in global history, characterized by the extensive transfer of plants, animals, culture, human populations, technology, and ideas between the Americas, West Africa, and the Old World. This exchange had profound and lasting impacts on the global ecosystem and human societies. One of the most significant aspects of this exchange was the introduction of New World crops, such as maize (*Zea mays*), to various parts of the world, which played a crucial role in shaping agricultural practices and societal structures (McCook et al., 2011; Cherniwchan et al., 2017; Galesi, 2021).

Before the arrival of Europeans, maize was a staple crop in many Pre-Columbian societies across the Americas. It was not only a primary food source but also held cultural and economic significance. The genetic diversity and population structure of native maize populations in Latin America and the Caribbean reflect the extensive cultivation and selective breeding practices that occurred over millennia (Bedoya et al., 2017). The introduction of maize to other continents, such as Europe and Africa, during the Columbian Exchange, further underscores its importance and adaptability as a crop (Cherniwchan et al., 2017; Galesi, 2021).

By examining historical records, genetic studies, and ecological data, this study aims to trace the diffusion of maize from the Americas to Europe, Africa, and other regions, analyze the genetic diversity and adaptation of maize in different ecological contexts, assess the socio-economic and ecological impacts of maize introduction in various regions, and highlight the role of maize in shaping agricultural practices and societal changes during and after the Columbian Exchange. By achieving these objectives, this study will contribute to a deeper understanding of the complex interactions between human societies and their environments, facilitated by the movement of a single, yet highly influential, crop.

## 2 Historical Overview of Maize's Domestication and Early Spread

### 2.1 Origins of maize domestication in Mesoamerica

Maize, or *Zea mays*, is believed to have been domesticated in the region of Mesoamerica, specifically in the area that is now southern Mexico (Figure 1). Genetic studies have shown that maize was derived from a wild grass known as teosinte. The domestication process, which began around 9 000 years ago, involved selective breeding

by indigenous peoples to enhance desirable traits such as kernel size and ease of harvest. This early genetic manipulation laid the foundation for maize to become a staple crop in various cultures across the Americas (Bedoya et al., 2017).



Figure 1 Suggested maize migration routes from its center of origin in Mesoamerica based on archeological evidence, historic and anthropological studies, and genetic relationships (Adopted from Bedoya et al., 2017)

Image caption: Red arrows indicate early maize dispersal from its origin center in Mesoamerica towards northern Mexico and Central America; dashed orange arrows represents the likely Pacific Ocean routes via maritime technologies in Pre-Columbian times; green arrows show maize migrations from the mainland to the Caribbean; light green arrows show routes followed by the Caribbean communities along the eastern coast and rivers; blue arrows correspond to movements in the Andean region in different directions. Ovals correspond to important zones of maize germplasm interchange (Adopted from Bedoya et al., 2017)

## 2.2 Early cultivation and uses in indigenous cultures

Following its domestication, maize quickly became a central component of the diet and culture of many indigenous groups in Mesoamerica. It was not only a primary food source but also held significant cultural and religious importance. The cultivation techniques and uses of maize varied among different indigenous cultures, reflecting the adaptability and versatility of the crop. For instance, maize was used in various forms such as tortillas, tamales, and beverages, and it played a crucial role in agricultural systems that included companion planting with beans and squash (Bedoya et al., 2017).

## 2.3 Initial spread of maize within the Americas

The spread of maize from its point of origin in Mesoamerica to other parts of the Americas was facilitated by both human migration and trade networks. Genetic evidence suggests that maize reached the Andean region relatively early, where it was integrated into local agricultural practices with minimal genetic mixing from other regions (Bedoya et al., 2017). Additionally, the movement of maize into the Caribbean is thought to have been influenced by two separate human migration events, which contributed to the genetic diversity observed in Caribbean maize populations. The pre-Columbian exchange of maize germplasm between North and South America underscores the crop's importance and the interconnectedness of indigenous cultures long before European contact.

By the time Europeans arrived in the Americas, maize had already become a well-established and vital crop across a vast geographical area, setting the stage for its subsequent introduction to Europe and other parts of the world during the Columbian Exchange (Galesi, 2021).

### 3 Maize's Journey through the Columbian Exchange

#### 3.1 Introduction of maize to Europe

The introduction of maize (*Zea mays*) to Europe is a pivotal chapter in the story of the Columbian Exchange. When Christopher Columbus returned from his first voyage to the New World in 1493, he brought with him a variety of unfamiliar crops, including maize. This crop, native to the Americas, quickly caught the attention of European farmers and botanists due to its high yield potential and versatility. Initially considered a curiosity, maize soon proved to be a valuable addition to the European agricultural repertoire (Revilla et al., 2022).

In Southern Europe, particularly Spain and Portugal, maize was rapidly adopted due to favorable climatic conditions similar to those in its native regions. By the early 16th century, maize cultivation spread throughout the Mediterranean basin. The crop's ability to thrive in diverse environments and its relatively short growing season made it an attractive option for farmers. Additionally, maize's role as a staple food provided a buffer against famines caused by the failure of traditional European crops, such as wheat and barley. Over time, maize became a staple in the diets of various European populations, particularly in rural areas where it was often ground into flour for bread and porridge (Ranum et al., 2014).

#### 3.2 Spread to Africa and Asia

The dissemination of maize to Africa and Asia marked another significant phase in its global journey. Portuguese traders played a crucial role in introducing maize to Africa, where it quickly became a vital crop due to its adaptability to various climatic conditions and its high nutritional value. Maize found fertile ground in the African continent, particularly in regions with poor soils and erratic rainfall, where traditional crops often failed (Galani et al., 2022).

In sub-Saharan Africa, maize became a staple food, integrated into local agricultural systems and dietary practices. Its versatility allowed it to be used in various forms, from fresh cobs to dried kernels and flour. The crop's introduction also had socio-economic impacts, providing a reliable food source and contributing to food security. However, maize's dominance also led to changes in traditional farming practices and dietary habits, sometimes at the expense of indigenous crops.

The spread of maize to Asia followed a similar trajectory. Portuguese and Spanish traders introduced the crop to the Indian subcontinent, China, and Southeast Asia in the 16th and 17th centuries. In China, maize was initially grown as a supplementary crop but soon became integral to the agricultural landscape, especially in mountainous and arid regions where rice and wheat cultivation was challenging. The crop's high yield and resilience to diverse environmental conditions made it an essential food source for the growing population. In India, maize complemented traditional crops like millet and sorghum, contributing to the diversification of agricultural production and food security (Murdia et al., 2016).

#### 3.3 Factors influencing maize's global dissemination

Several factors facilitated the global dissemination of maize during and after the Columbian Exchange. One of the primary drivers was the adaptability of maize to a wide range of climatic and soil conditions. This adaptability allowed maize to thrive in diverse environments, from the temperate climates of Europe to the tropical and subtropical regions of Africa and Asia (Gong et al., 2015).

Trade and exploration were also critical in spreading maize. European explorers and traders, particularly the Portuguese and Spanish, were instrumental in introducing maize to new regions. Their extensive trade networks facilitated the exchange of agricultural products, including maize, between the Old and New Worlds. The role of colonial powers in establishing agricultural practices in their colonies further accelerated the spread of maize (Ranum et al., 2014).

Cultural exchange played a significant role in the acceptance and integration of maize into local diets and agricultural systems. In many regions, maize was incorporated into existing food traditions, often replacing or supplementing traditional staples. Its versatility in culinary uses—from fresh cobs to various processed forms—enhanced its appeal and adoption (Palacios-Rojas et al., 2020).

Additionally, the nutritional benefits of maize contributed to its widespread adoption. As a high-calorie crop with essential vitamins and minerals, maize became a crucial food source in many parts of the world, particularly in regions prone to food insecurity. Its role in preventing famine and supporting population growth underscored its importance in global agricultural systems (Nuss and Tanumihardjo, 2010).

## **4 Agronomic and Economic Impacts**

### **4.1 Changes in agricultural practices**

The introduction of maize to various regions during the Columbian Exchange significantly altered agricultural practices. In precolonial Africa, maize became a staple crop, leading to changes in land use and farming techniques. The crop's adaptability to different climates and soils allowed it to be cultivated in areas where traditional African crops were less successful, thereby increasing agricultural productivity (Cherniwchan et al., 2017). Additionally, the introduction of maize necessitated new farming tools and methods, which were adopted to optimize maize cultivation and harvest.

### **4.2 Economic significance in various regions**

Maize's economic impact varied across different regions. In Africa, the introduction of maize had profound demographic and economic consequences. The crop's high yield and nutritional value contributed to population growth, which in turn increased the supply of labor and slaves during the Trans-Atlantic slave trade (Cherniwchan et al., 2017). However, the economic benefits were not uniformly positive; while maize supported population growth, it did not significantly stimulate broader economic development or reduce conflict (Cherniwchan et al., 2017). In the Old World, the introduction of maize provided a new food source that complemented existing agricultural systems, thereby enhancing food security and supporting economic stability (Nunn and Qian, 2010).

### **4.3 Development of maize-based industries**

The global journey of maize also spurred the development of maize-based industries. In regions where maize became a staple, various industries emerged to process and utilize the crop. For instance, the production of maize flour and other maize-derived products became significant economic activities. These industries not only provided employment but also contributed to the economic diversification of the regions involved. The widespread cultivation and processing of maize led to the establishment of trade networks that facilitated the exchange of maize products, further integrating maize into the global economy (Nunn and Qian, 2010; Cherniwchan et al., 2017).

It can be seen that the introduction of maize during the Columbian Exchange had far-reaching agronomic and economic impacts. It transformed agricultural practices, influenced demographic and economic dynamics, and led to the development of maize-based industries, thereby playing a crucial role in shaping the agricultural and economic landscapes of the regions it reached.

## **5 Ecological and Environmental Impacts**

### **5.1 Impact on soil fertility and agricultural land**

The introduction of maize during the Columbian Exchange had significant implications for soil fertility and agricultural land use across various regions. Maize, a staple crop from the New World, was integrated into the agricultural systems of the Old World, leading to both positive and negative environmental outcomes.

One of the primary impacts of maize cultivation was on soil fertility. Maize is known to be a nutrient-demanding crop, requiring substantial amounts of nitrogen, phosphorus, and potassium for optimal growth. This high nutrient demand often led to soil depletion in areas where maize was grown intensively without adequate crop rotation or soil management practices. The continuous cultivation of maize without replenishing soil nutrients resulted in the degradation of soil quality over time, making the land less productive for future agricultural use (Nunn et al., 2010; Cherniwchan et al., 2017).

In precolonial Africa, the introduction of maize had a profound effect on agricultural land use. The suitability of African land for growing maize and its relatively high yield compared to traditional African staples like millet

and sorghum made it an attractive option for farmers. This shift in crop preference led to changes in land use patterns, with more land being allocated to maize cultivation (Figure 2). However, the increased focus on maize also meant that traditional practices of crop rotation and fallowing were often neglected, further exacerbating soil fertility issues (Cherniwchan et al., 2017).

Moreover, in some regions, the increased productivity associated with maize cultivation supported higher population densities. This demographic shift placed additional pressure on agricultural land, as more food was needed to sustain the growing population. Consequently, the intensification of maize farming often led to the overexploitation of land resources, contributing to soil erosion and loss of arable land (Cherniwchan et al., 2017).




Figure 2 The suitability of land for cultivating maize in Africa (Adopted from Cherniwchan et al., 2017)

## 5.2 Effects on Biodiversity and Local Ecosystems

One significant impact of maize introduction was the alteration of local ecosystems in Europe. The genetic uniformity of the maize initially brought to Europe meant that it had specific environmental requirements and traits that influenced how it integrated into existing agricultural systems. This genetic bottleneck could have led to reduced biodiversity as local farmers might have focused on cultivating this new, high-yield crop at the expense of traditional varieties (Galesi, 2021).

In Africa, the introduction of maize had a different set of ecological consequences. The crop's adaptability to various climates allowed it to spread rapidly, often replacing indigenous crops. This shift not only altered the agricultural landscape but also had broader ecological implications. The increased cultivation of maize could have led to changes in soil composition and local flora, potentially reducing the diversity of plant species in the region (Cherniwchan et al., 2017).

The broader environmental impacts of maize introduction also included changes in land use patterns. In many regions, the high productivity of maize encouraged the expansion of agricultural land, often at the expense of natural habitats. This expansion could have led to deforestation and habitat loss, further impacting local biodiversity. The shift in land use patterns was particularly evident in Europe, where maize cultivation became a significant part of the agricultural economy (Nunn and Qian, 2010; Galesi, 2021).



Moreover, the introduction of maize influenced local ecosystems by altering the food web. In regions where maize became a staple crop, it affected the diet of both humans and livestock. This dietary shift could have had cascading effects on local wildlife, as changes in livestock feeding practices might have influenced the availability of certain plant species and the overall structure of the ecosystem (Nunn and Qian, 2010).

The ecological impact of maize was also evident in its role in the Columbian Exchange's broader environmental changes. The movement of maize across continents was part of a larger pattern of biotic exchange that included the transfer of other crops, animals, and even diseases. This complex web of interactions had far-reaching consequences for ecosystems around the world, contributing to both the homogenization and diversification of global biodiversity (Nunn and Qian, 2010).

## **6 Cultural and Societal Impacts**

### **6.1 Maize in culinary traditions**

The introduction of maize to various parts of the world significantly transformed culinary traditions. In Europe, maize became a staple ingredient, integrating into the daily diets and cultural spaces of early modern Europeans. This transformation is evident in the way maize was naturalized into European cuisine, alongside other New World ingredients such as tomatoes, chiles, and chocolate. The adoption of maize in European culinary practices highlights the broader impact of the Columbian Exchange on global eating habits, showcasing how new foods were incorporated into existing culinary traditions and became familiar staples over time (Galesi, 2021).

### **6.2 Societal changes and population growth**

The introduction of maize had profound societal impacts, particularly in terms of population growth and demographic changes. In precolonial Africa, the arrival of maize contributed to increased population density and had significant implications for the Trans-Atlantic slave trade. The robust empirical evidence suggests that maize's introduction did not stimulate economic development but rather increased the supply of slaves from Africa during the Trans-Atlantic slave trade (Cherniwchan et al., 2017). Additionally, the genetic diversity and population structure of native maize populations in Latin America and the Caribbean reflect the historical migration and exchange of maize, which played a crucial role in the development and expansion of pre-Columbian cultures and the demographic shifts following European colonization (Bedoya et al., 2017).

### **6.3 Symbolism and cultural significance in different societies**

Maize holds deep symbolic and cultural significance in various societies. In Europe, the unique characteristics of maize seeds influenced how the crop fit into European ecosystems and cultures, reflecting its broader cultural impact (Galesi, 2021). The Columbian Exchange facilitated the transfer of not only crops but also cultural symbols and practices, leading to a rich interplay between biological and social forces. The cultural significance of maize is also evident in its role in the adaptive introgression in human populations, where the exchange of genetic material between populations led to novel human genomes shaped by rapid adaptive evolution (Jordan, 2016). This underscores the importance of maize not only as a food source but also as a cultural and symbolic element that influenced human societies in diverse ways.

## **7 Challenges and Controversies**

### **7.1 Genetic modification and biotechnology**

The genetic diversity and population structure of native maize populations in Latin America and the Caribbean have been extensively studied, revealing significant genetic variation among different landraces. This diversity is crucial for the development of genetically modified (GM) maize, as it provides a broad genetic base for biotechnological advancements. However, the introduction of GM maize has sparked controversy due to potential risks to native maize varieties and the environment. The genetic characterization of 194 native maize populations using SSR markers highlights the importance of preserving genetic diversity to ensure the sustainability of maize cultivation in the face of biotechnological interventions (Bedoya et al., 2017).

## **7.2 Sustainability and environmental concerns**

The diffusion of maize across Europe following the Columbian Exchange has raised several sustainability and environmental concerns. The introduction of maize into European ecosystems, which were previously unfamiliar with the crop, led to significant ecological changes. The unique characteristics of the maize seeds transported to Europe, originating from a narrow gene pool, influenced how maize integrated into European agricultural systems and ecosystems. This integration posed challenges related to soil health, water usage, and biodiversity. Understanding the ecological impact of maize's introduction into new environments is essential for developing sustainable agricultural practices that minimize negative environmental consequences (Galesi, 2021).

## **7.3 Food security and ethical considerations**

The role of maize in global food security is a critical issue, particularly in regions heavily reliant on this staple crop. The ethical considerations surrounding maize cultivation and distribution are multifaceted. On one hand, maize's adaptability and high yield potential make it a valuable crop for addressing food security challenges. On the other hand, the historical and ongoing displacement of native maize varieties by commercial hybrids and GM maize raises ethical concerns about the preservation of cultural heritage and traditional agricultural practices. The genetic diversity of native maize populations, as documented in Latin America and the Caribbean, underscores the need to balance modern agricultural practices with the preservation of traditional knowledge and biodiversity (Bedoya et al., 2017; Galesi, 2021).

The global journey of maize, initiated by the Columbian Exchange, has led to significant challenges and controversies in the realms of genetic modification, sustainability, and food security. Addressing these issues requires a nuanced understanding of maize's genetic diversity, ecological impact, and ethical implications to ensure a sustainable and equitable future for maize cultivation worldwide.

## **8 Future Prospects and Research Directions**

### **8.1 Innovations in maize cultivation and breeding**

Advancements in maize cultivation and breeding are poised to revolutionize agricultural practices. Modern techniques such as precision agriculture, which employs data analytics, GPS, and IoT technologies, allow for optimized planting, irrigation, and fertilization. This results in enhanced crop yields and reduced environmental impact (Thudi et al., 2020).

Genomic selection and CRISPR-Cas9 gene editing hold promise for accelerating maize breeding programs. These technologies enable the development of maize varieties with desirable traits such as drought tolerance, pest resistance, and improved nutritional content. The integration of these advanced breeding techniques can significantly contribute to food security and sustainable agriculture (Agarwal et al., 2018; Nerkar et al., 2022).

Moreover, the exploration of wild maize relatives and landraces can uncover genetic diversity essential for breeding resilient maize varieties. Collaborative international research initiatives and biobanks are crucial in preserving and utilizing this genetic diversity.

### **8.2 Maize in bioenergy and industrial applications**

Maize is increasingly recognized for its potential in bioenergy production and various industrial applications. The development of maize-based biofuels, such as ethanol and biodiesel, offers a renewable energy source that can reduce dependency on fossil fuels and mitigate greenhouse gas emissions (Wang et al., 2022).

In addition to biofuels, maize is a valuable feedstock for bioplastics, biochemicals, and other bioproducts. The starch and cellulose components of maize can be converted into biodegradable plastics, reducing plastic pollution and promoting a circular economy. Research into optimizing the conversion processes and enhancing the efficiency of maize-based bioproducts is essential for their widespread adoption (Khulbe et al., 2020).

Furthermore, the use of maize in industrial applications extends to pharmaceuticals, textiles, and construction materials. Continued research and innovation in these areas can expand the versatility of maize, making it a cornerstone of sustainable industrial development.

### 8.3 Potential role in addressing global food challenges

As the global population continues to grow, maize's role in addressing food security challenges becomes increasingly significant. Maize is a staple crop for many regions, providing essential nutrients and calories. Efforts to enhance maize productivity and nutritional quality can have a profound impact on global food systems.

Biofortification, the process of increasing the nutritional value of crops through conventional breeding and biotechnology, is a promising approach to combat malnutrition. Biofortified maize varieties with higher levels of vitamins, minerals, and essential amino acids can improve the dietary quality of populations dependent on maize as a primary food source (Prasanna et al., 2020; Sethi et al., 2023).

Additionally, climate change poses a threat to agricultural productivity, and maize's adaptability to diverse environmental conditions makes it a critical crop for future food resilience. Research focused on developing climate-smart maize varieties that can withstand extreme weather events and changing climatic conditions is crucial (Zenda et al., 2021).

## 9 Concluding Remarks

The Columbian Exchange significantly impacted global agriculture, with maize playing a pivotal role in this transformation. The introduction of maize to Europe, as detailed in “Maize on the Move: The Diffusion of a Tropical Cultivar across Europe”, highlights how maize adapted to European ecosystems and cultures, despite originating from a narrow gene pool. In Africa, the introduction of maize during the Columbian Exchange increased population density and the supply of slaves for the Trans-Atlantic slave trade, although it did not significantly affect economic growth or conflict. The genetic diversity and population structure of native maize populations in Latin America and the Caribbean reveal the extensive pre- and post-Columbian exchanges of maize germplasm, underscoring the crop's historical migration and adaptation. Additionally, the neo-Columbian exchanges of the long nineteenth century further expanded the geographical scope of maize's influence, driven by imperial and transnational scientific institutions.

Maize's journey from the New World to various parts of the globe is a testament to its adaptability and significance. In Europe, maize's integration into local ecosystems and cultures was facilitated by its unique genetic traits, which allowed it to thrive in diverse environments. In Africa, maize's introduction had profound demographic and social implications, particularly in relation to the Trans-Atlantic slave trade. The genetic studies of maize populations in Latin America and the Caribbean highlight the crop's complex history of migration and adaptation, influenced by both pre-Columbian and post-Columbian exchanges. The neo-Columbian exchanges further illustrate maize's role in the ecological globalization of the Greater Caribbean, driven by economic and scientific developments.

The historical journey of maize underscores its importance as a global crop and its profound impact on various societies and ecosystems. Future research should continue to explore the genetic diversity and adaptation mechanisms of maize to better understand its resilience and potential in the face of climate change. Additionally, examining the socio-economic impacts of maize in different historical contexts can provide valuable insights into the crop's role in shaping human societies. The neo-Columbian exchanges offer a rich area for further study, particularly in understanding the long-term ecological and agricultural consequences of these historical processes. By building on the findings of these studies, researchers can contribute to the sustainable development and utilization of maize in the future.

### Acknowledgment

The author extends sincere thanks to two anonymous peer reviewers for their feedback on the manuscript.

### Conflict of Interest Disclosure

The author affirms that this research was conducted without any commercial or financial relationships that could be construed as a potential conflict of interest.



## References

- Agarwal A., Yadava P., Kumar K., Singh I., Kaul T., Pattanayak A., and Agrawal P., 2018, Insights into maize genome editing via CRISPR/Cas9, *Physiology and Molecular Biology of Plants*, 24: 175-183.  
<https://doi.org/10.1007/s12298-017-0502-3>
- Bedoya C., Dreisigacker S., Hearne S., Franco J., Mir C., Prasanna B., Taba S., Charcosset A., and Warburton M., 2017, Genetic diversity and population structure of native maize populations in Latin America and the Caribbean, *PLoS One*, 12(4): e0173488.  
<https://doi.org/10.1371/journal.pone.0173488>
- Cherniwchan J., and Moreno-Cruz J., 2017, Maize and precolonial Africa, *Journal of Development Economics*, 136: 137-150.  
<https://doi.org/10.2139/ssrn.3030545>
- Galani Y., Ligowe I., Kieffer M., Kamalongo D., Kambwiri A., Kuwali P., Thierfelder C., Dougill A., Gong Y., and Orfila C., 2022, Conservation agriculture affects grain and nutrient yields of maize (*Zea mays* L.) and can impact food and nutrition security in Sub-saharan Africa, *Frontiers in Nutrition*, 8(2022): 804663.
- Galesi L., 2021, Maize on the move: the diffusion of a tropical cultivar across Europe, *Environment and History*, 29(2): 211-237.
- Gong F., Wu X., Zhang H., Chen Y., and Wang W., 2015, Making better maize plants for sustainable grain production in a changing climate, *Frontiers in Plant Science*, 6(2015): 835.
- Jordan I., 2016, The Columbian Exchange as a source of adaptive introgression in human populations, *Biology Direct*, 11: 1-8.  
<https://doi.org/10.1186/s13062-016-0121-x>
- Khulbe R., Pattanayak A., and Sharma D., 2020, Biofortification of maize using accelerated breeding tools, *Accelerated Plant Breeding*, 2020: 293-308.  
[https://doi.org/10.1007/978-3-030-41866-3\\_12](https://doi.org/10.1007/978-3-030-41866-3_12)
- McCook S., 2011, The Neo-Columbian exchange: the second conquest of the greater Caribbean, 1720-1930, *Latin American Research Review*, 46(S1): 11-31.
- Murdia L., Wadhvani R., Wadhawan N., Bajpai P., and Shekhawat S., 2016, Maize utilization in india: an overview, *American Journal of Food and Nutrition*, 4: 169-176.  
<https://doi.org/10.12691/AJFN-4-6-5>
- Nerkar G., Devarumath S., Purankar M., Kumar A., Valarmathi R., Devarumath R., and Appunu C., 2022, Advances in crop breeding through precision genome editing, *Frontiers in Genetics*, 13(2022): 880195.  
<https://doi.org/10.3389/fgene.2022.880195>
- Nunn N., and Qian N., 2010, The Columbian exchange: a history of disease, food, and ideas, *Journal of Economic Perspectives*, 24: 163-188.  
<https://doi.org/10.1257/JEP.24.2.163>
- Nuss E., and Tanumihardjo S., 2010, Maize: a paramount staple crop in the context of global nutrition, *Comprehensive reviews in food science and food safety*, 9(4): 417-436.
- Palacios-Rojas N., McCulley L., Kaeppler M., Titcomb T., Gunaratna N., Lopez-Ridaura S., and Tanumihardjo S., 2020, Mining maize diversity and improving its nutritional aspects within agro-food systems, *Comprehensive Reviews in Food Science and Food Safety*, 19(4): 1809-1834.  
<https://doi.org/10.1111/1541-4337.12552>
- Prasanna B., Palacios-Rojas N., Hossain F., Muthusamy V., Menkir A., Dhliwayo T., Ndhlela T., Vicente F., Nair S., Vivek B., Zhang X., Olsen M., and Fan X., 2020, Molecular breeding for nutritionally enriched maize: status and prospects, *Frontiers in Genetics*, 10(2020): 1392.
- Ranum P., Peña-Rosas J., and Garcia-Casal M., 2014, Global maize production, utilization, and consumption, *Annals of the New York Academy of Sciences*, 1312(1): 105-112.  
<https://doi.org/10.1111/nyas.12396>
- Revilla P., Alves M., Anđelković V., Balconi C., Dinis I., Mendes-Moreira P., Redaelli R., Galarreta J., Patto M., Žilić S., and Malvar R., 2022, Traditional foods from maize (*Zea mays* L.) in Europe, *Frontiers in Nutrition*, 8: 683399.
- Sethi M., Saini D., Devi V., Kaur C., Singh, M., Singh J., Pruthi G., Kaur A., Singh A., and Chaudhary D., 2023, Unravelling the genetic framework associated with grain quality and yield-related traits in maize (*Zea mays* L.), *Frontiers in Genetics*, 14(2023): 1248697.
- Thudi M., Palakurthi R., Schnable J., Chitkineni A., Dreisigacker, S., Mace E., Srivastava R., Satyavathi C., Odeny D., Tiwari V., Lam H., Hong Y., Singh V., Li G., Xu Y., Chen X., Kaila S., Nguyen H., Sivasankar S., Jackson S., Close T., Shubo W., and Varshney R., 2020, Genomic resources in plant breeding for sustainable agriculture, *Journal of Plant Physiology*, 257: 153351.
- Wang Y., Tang Q., Pu L., Zhang H., and Li X., 2022, CRISPR-Cas technology opens a new era for the creation of novel maize germplasms, *Frontiers in Plant Science*, 13: 1049803.
- Zenda T., Liu S., Dong A., and Duan H., 2021, Advances in cereal crop genomics for resilience under climate change, *Life*, 11(6): 502.  
<https://doi.org/10.3390/life11060502>



## Disclaimer/Publisher's Note

The statements, opinions, and data contained in all publications are solely those of the individual authors and contributors and do not represent the views of the publishing house and/or its editors. The publisher and/or its editors disclaim all responsibility for any harm or damage to persons or property that may result from the application of ideas, methods, instructions, or products discussed in the content. Publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.